




HP ProDisplay P240va 23.8-inch Monitor

Essential features in an expansive screen size.

Give your HP Pro PC content room to roam on the extra-large HP ProDisplay P240va Monitor, a sleek display that delivers essential presentation features and advanced connectivity for your everyday business productivity needs at a highly affordable price point.



Fabulous front-of-screen.

- Get crisp image clarity for all your content on the 23.8-inch diagonal screen with 1920 x 1080 resolution, and 3000:1 contrast ratio.¹ 178-degree viewing angles mean everybody has a great view of the screen.

High-speed connection for FHD imagery.

- Experience stunning FHD picture quality, ultra-fast graphics refresh, and vivid colors from the DisplayPort connection, which also supports multiple monitor connections from a single PC. Get expanded device compatibility from VGA and HDMI.


Create an efficient, easy-to-use workspace.

- Attach your HP Desktop Mini, HP Chromebox, or select HP Thin Client directly behind the display.² Keep things tidy with an integrated power supply and cable management features.

Featuring

- Reduce power consumption and help lower your costs with an intelligent, energy-efficient, low halogen³ design that is ENERGY STAR® and TCO certified and EPEAT® 2019 registered.⁴
- Free up valuable desk space with mounting options⁵ enabled by the 100-mm VESA pattern, including the HP Adjustable Dual Display Stand, which holds two displays in a single-stand footprint.
- Customize a total solution with options⁵ designed for your display.
- Design the screen for how you work with HP Display Assistant software.
- Rest assured that your IT investment is supported by a three-year standard limited warranty, and has a stable product lifecycle and minimum one-year lifespan. Add HP Care Packs⁶ to extend your protection beyond the standard limited warranties.

HP ProDisplay P240va 23.8-inch Monitor Specifications Table



Display type	VA w/LED backlight
Panel Active Area	20.8 x 11.72 in 52.84 x 29.78 cm
Display size (diagonal)	60.45 cm (23.8")
Viewing angle	178° horizontal; 178° vertical
Brightness	250 cd/m ² ¹
Contrast ratio	3000:1 static; 5000000:1 dynamic ¹
Response Ratio	8 ms gray to gray ¹
Product colour	Black
Aspect ratio	16:9
Native resolution	1920 x 1080
Resolutions supported	1920 X 1080; 1680 X 1050; 1600 X 900; 1440 X 900; 1280 X 1024; 1280 X 720; 1024 X 768; 800 X 600; 720 X 400; 640 X 480
Display features	Anti-glare; Language selection; LED Backlights; On-screen controls; Plug and Play; User programmable
User controls	Menu; Minus ("-"); Plus ("+") /Input; OK/Auto; Power
Input signal	1 VGA; 1 DisplayPort 1.2 (with HDCP support); 1 HDMI (with HDCP support)
Environmental	Operating temperature: 5 to 35°C; Operating humidity: 20 to 80% RH
Power	Input voltage: 100 to 240 VAC
Power consumption	32 W (maximum), 25 W (typical), 0.5 W (standby)
Dimensions	22.49 x 2.17 x 14 in 57.12 x 5.5 x 35.55 cm
Weight	9.47 lb 4.3 kg (With stand)
Ergonomic features	Tilt: -5 to +22°
Physical security features	Security lock-ready (lock is sold separately)
Energy efficiency compliance	ENERGY STAR® certified; EPEAT® 2019 registered
Certification and compliance	CE; CB; KC/KCC; NOM; PSB; ICE; TUV-S; ISO 9241-307; EAC; UL; CSA; PSB; ISC; CCC; CEL; CECP; SEPA; TCO Certified Edge; ISC; VCCI; FCC; BSMI; Vietnam MEPS; Australian-New Zealand MEPS; WEEE; SmartWay Transport Partnership - NA only
Environmental specifications	Arsenic-free display glass; Mercury-free display backlights; Low halogen ²
What's in the box	AC power cord; VGA cable; DisplayPort cable; HP Display Assistant software; CD (includes User Guide, warranty, drivers)

HP ProDisplay P240va 23.8-inch Monitor

Accessories and services (not included)

HP Quick Release Bracket



HP Quick Release is an easy to use, 100 mm VESA-compliant, LCD monitor mounting solution that allows you to quickly and securely attach a flat panel monitor to a variety of stands, brackets, arms or wall mounts. HP Quick Release can also be used for mounting any combination of devices that are compatible with the 100 mm VESA Flat Display Mounting Interface Standard. The failsafe "Sure-Lock" mechanism snaps the monitor (or mounted device) securely in place, and can be further secured with a theft-deterrent security screw.
Product number: EM870AA

HP Integrated Work Center for Desktop Mini and Thin Client



Make the most of small work spaces with an HP IWC Desktop Mini/Thin Client that lets you create a compact desktop solution by combining a display¹ with your choice of platform¹ and giving you convenient front access to all of its inputs.
Product number: G1V61AA

HP LCD Speaker Bar



The LCD Speaker Bar seamlessly attaches to the bezel of the HP Business Monitor and provides full multimedia capabilities.
Product number: NQ576AA

HP 4 year Next business day Exchange Large Monitor Service



HP Hardware Support Exchange Service offers a reliable and fast exchange service for eligible HP products. Specifically targeted at products that can easily be shipped and on which customers may easily restore data from backup files, HP Hardware Support Exchange Service is a cost-efficient but still convenient alternative to onsite support. HP Hardware Support Exchange Service provides a replacement product or part to be delivered free of freight charges to your location within a specified period of time. Replacement products or parts are new or equivalent to new in performance.
Product number: U0J12E

HP ProDisplay P240va 23.8-inch Monitor

Messaging Footnotes

¹ All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

² Requires HP Quick Release, sold separately. See product QuickSpecs for exact PC and thin client compatibility.

³ External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

⁴ Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more information.

⁵ Each accessory sold separately. Mounting hardware sold separately.

⁶ Footnote: Sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

Technical Specifications Footnotes

¹ All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Sign up for updates hp.com/go/getupdated

© Copyright 2016 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR® and the ENERGY STAR® mark are registered trademarks of the U.S. Environmental Protection Agency.

4AA6-3111, May 2019

--

